




Panel 3: Cardiac Arrests (of Cardiac Etiology) Witnessed by Bystanders (Outcome)




Panel 3-A: Cardiac Arrests (of Cardiac Etiology) Witnessed by Bystanders (ROSC)



Panel 4: Cardiac Arrests (Cardiac Etiology/"Shockable" Rhythm) Witnessed by Bystanders (Outcome)



Panel 4-A: Cardiac Arrests (Cardiac Etiology/"Shockable" Rhythm) Witnessed by Bystanders (ROSC)



Cardiac Arrests Witnessed by Bystanders (CPR) KPI	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Witnessed Cardiac Arrests	62	88	75	74	299
NOT Witnessed by EMS	39	49	44	50	182
Who Initiated CPR?	0	0	0	0	0
Not Applicable	0	0	0	0	0
Lay Person	4	5	7	11	27
Lay Person Family Member	6	4	0	3	13
Lay Person Medical Provider	7	11	4	7	29
First Responder (non-transport provider)	2	11	12	9	34
Responding EMS Personnel	20	18	21	20	79
CPR Initiated by Bystanders	17	20	11	21	69
CPR Initiated by Bystanders, Limited to Arrest before Arrival of EMS Personnel.	43.6%	40.8%	25.0%	42.0%	37.9%

Cardiac Arrests Witnessed by Bystanders (AED Use) KPI	Q1-FY	'-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	14	4	167	149	163	623
Witnessed Cardiac Arrests	62		88	75	74	299
NOT Witnessed by EMS	39)	49	44	50	182
AED applied prior to EMS arrival	2		16	14	19	51
Who Applied AED?						
Lay Person	0		0	0	1	1
Lay Person Family Member	0		0	0	0	0
Lay Person Medical Provider	0		4	1	4	9
First Responder (non-transport provider)	2		12	13	14	41
Police Applied AED	1		4	4	0	9
Unknown						
AED Used by Bystanders	0		4	1	5	10
AED Used by Bystanders, Limited to Arrest before Arrival of EMS Personnel.	0.0	%	8.2%	2.3%	10.0%	5.5%

Panel 1: All Cardiac Arrests (Outcome)	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Transported to ED	144	166	133	143	586
Pronounced Dead in ED	59	71	43	44	217
Ongoing Resuscitation in ED	85	95	90	99	369
Admitted to Hospital	29	41	40	42	152
Died in Hospital	15	20	15	24	74
Discharged alive	5	9	12	12	38
Discharged alive (CPC-1 or CPC-2)	5	8	11	11	35
Discharged alive (CPC-3, CPC-4 or Unk)	0	1	1	1	3
Died in Hospital after DNR	9	12	13	6	40
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	5	9	12	12	38
Total Discharged Alive (CPC-1 or CPC-2)	5	8	11	11	35
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	1	1	1	3
Overall Survival Rate.	3.5%	5.4%	8.1%	7.4%	6.1%
Overall Survival Rate (CPC-1 or CPC-2).	3.5%	4.8%	7.4%	6.7%	5.6%

Panel 2: Cardiac Arrests Witnessed by Bystanders (Outcome) KPI	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Witnessed Cardiac Arrests	62	88	75	74	299
NOT Witnessed by EMS	39	49	44	50	182
Transported to ED	39	49	44	49	181
Pronounced Dead in ED	12	15	6	15	48
Ongoing Resuscitation in ED	27	34	38	34	133
Admitted to Hospital	10	18	20	17	65
Died in Hospital	7	7	9	10	33
Discharged alive	2	5	5	5	17
Discharged alive (CPC-1 or CPC-2)	2	5	5	5	17
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Died in Hospital after DNR	1	6	6	2	15
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	2	5	5	5	17
Total Discharged Alive (CPC-1 or CPC-2)	2	5	5	5	17
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Overall Survival Rate.	5.1%	10.2%	11.4%	10.0%	9.3%
Overall Survival Rate (CPC-1 or CPC-2).	5.1%	10.2%	11.4%	10.0%	9.3%

Panel 3: Cardiac Arrests (of Cardiac Etiology) Witnessed by Bystanders (Outcome)	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Witnessed Cardiac Arrests	62	88	75	74	299
NOT Witnessed by EMS	39	49	44	50	182
Presumed Cardiac Etiology	35	44	42	45	166
Transported to ED	35	44	42	44	165
Pronounced Dead in ED	11	13	6	15	45
Ongoing Resuscitation in ED	24	31	36	29	120
Admitted to Hospital	9	16	20	14	59
Died in Hospital	6	5	9	7	27
Discharged alive	2	5	5	5	17
Discharged alive (CPC-1 or CPC-2)	2	5	5	5	17
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Died in Hospital after DNR	1	6	6	2	15
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	2	5	5	5	17
Total Discharged Alive (CPC-1 or CPC-2)	2	5	5	5	17
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Overall Survival Rate.	5.7%	11.4%	11.9%	11.1%	10.2%
Overall Survival Rate (CPC-1 or CPC-2).	5.7%	11.4%	11.9%	11.1%	10.2%

Panel 4: Cardiac Arrests (Cardiac Etiology/"Shockable" Rhythm) Witnessed by Bystanders (Outcome) KPI	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Witnessed Cardiac Arrests	62	88	75	74	299
NOT Witnessed by EMS	39	49	44	50	182
Presumed Cardiac Etiology	35	44	42	45	166
"Shockable" Rhythm (VFib/VTach/Unk)	5	14	15	11	45
Transported to ED	5	14	15	11	45
Pronounced Dead in ED	2	2	2	5	11
Ongoing Resuscitation in ED	3	12	13	6	34
Admitted to Hospital	2	7	9	5	23
Died in Hospital	0	2	3	1	6
Discharged alive	2	5	5	4	16
Discharged alive (CPC-1 or CPC-2)	2	5	5	4	16
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Died in Hospital after DNR	0	0	1	0	1
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	2	5	5	4	16
Total Discharged Alive (CPC-1 or CPC-2)	2	5	5	4	16
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Overall Survival Rate.	40.0%	35.7%	33.3%	36.4%	35.6%
Overall Survival Rate (CPC-1 or CPC-2).	40.0%	35.7%	33.3%	36.4%	35.6%

Panel 1-A: All Cardiac Arrests (ROSC)	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Pronounced Dead Before Transport	0	1	16	20	37
Transported to ED	144	166	133	143	586
Pulseless at End of Transport	114	121	92	112	439
Pulse at End of Transport	30	45	41	31	147
Pronounced Dead in ED	0	1	0	1	2
Ongoing Resuscitation in ED	30	44	41	30	145
Admitted to Hospital	23	30	30	23	106
Died in Hospital	11	14	11	11	47
Discharged alive	3	7	10	9	29
Discharged alive (CPC-1 or CPC-2)	3	7	9	8	27
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	1	1	2
Died in Hospital after DNR	9	9	9	3	30
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	3	7	10	9	29
Total Discharged Alive (CPC-1 or CPC-2)	3	7	9	8	27
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	1	1	2
Pulse at End of Transport (Pre-Hospital ROSC rate).	20.8%	26.9%	27.5%	19.0%	23.6%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	13.0%	23.3%	33.3%	39.1%	27.4%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	13.0%	23.3%	30.0%	34.8%	25.5%

Panel 2-A: Cardiac Arrests Witnessed by Bystanders (ROSC)	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Witnessed Cardiac Arrests	62	88	75	74	299
NOT Witnessed by EMS	39	49	44	50	182
Pronounced Dead Before Transport	0	0	0	1	1
Transported to ED	39	49	44	49	181
Pulseless at End of Transport	28	34	23	40	125
Pulse at End of Transport	11	15	21	9	56
Pronounced Dead in ED	0	1	0	0	1
Ongoing Resuscitation in ED	11	14	21	9	55
Admitted to Hospital	9	12	16	9	46
Died in Hospital	6	4	8	5	23
Discharged alive	2	5	5	3	15
Discharged alive (CPC-1 or CPC-2)	2	5	5	3	15
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Died in Hospital after DNR	1	3	3	1	8
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	2	5	5	3	15
Total Discharged Alive (CPC-1 or CPC-2)	2	5	5	3	15
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Pulse at End of Transport (Pre-Hospital ROSC rate).	28.2%	30.6%	47.7%	18.0%	30.8%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	22.2%	41.7%	31.3%	33.3%	32.6%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	22.2%	41.7%	31.3%	33.3%	32.6%

Panel 3-A: Cardiac Arrests (of Cardiac Etiology) Witnessed by Bystanders (ROSC)	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Witnessed Cardiac Arrests	62	88	75	74	299
NOT Witnessed by EMS	39	49	44	50	182
Presumed Cardiac Etiology	35	44	42	45	166
Pronounced Dead Before Transport	0	0	0	1	1
Transported to ED	35	44	42	44	165
Pulseless at End of Transport	25	30	22	36	113
Pulse at End of Transport	10	14	20	8	52
Pronounced Dead in ED	0	1	0	0	1
Ongoing Resuscitation in ED	10	13	20	8	51
Admitted to Hospital	8	11	16	8	43
Died in Hospital	5	3	8	4	20
Discharged alive	2	5	5	3	15
Discharged alive (CPC-1 or CPC-2)	2	5	5	3	15
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Died in Hospital after DNR	1	3	3	1	8
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	2	5	5	3	15
Total Discharged Alive (CPC-1 or CPC-2)	2	5	5	3	15
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Pulse at End of Transport (Pre-Hospital ROSC rate).	28.6%	31.8%	47.6%	17.8%	31.3%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	25.0%	45.5%	31.3%	37.5%	34.9%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	25.0%	45.5%	31.3%	37.5%	34.9%

Panel 4-A: Cardiac Arrests (Cardiac Etiology/"Shockable" Rhythm) Witnessed by Bystanders (ROSC)	Q1-FY-15	Q2-FY-15	Q3-FY-15	Q4-FY-15	FY-15 (TOTAL)
Total Cardiac Arrests	144	167	149	163	623
Witnessed Cardiac Arrests	62	88	75	74	299
NOT Witnessed by EMS	39	49	44	50	182
Presumed Cardiac Etiology	35	44	42	45	166
"Shockable" Rhythm (VFib/VTach/Unk)	5	14	15	11	45
Pronounced Dead Before Transport	0	0	0	0	0
Transported to ED	5	14	15	11	45
Pulseless at End of Transport	3	6	6	7	22
Pulse at End of Transport	2	8	9	4	23
Pronounced Dead in ED	0	0	0	0	0
Ongoing Resuscitation in ED	2	8	9	4	23
Admitted to Hospital	2	6	8	4	20
Died in Hospital	0	1	2	1	4
Discharged alive	2	5	5	3	15
Discharged alive (CPC-1 or CPC-2)	2	5	5	3	15
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Died in Hospital after DNR	0	0	1	0	1
Discharged alive after DNR	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Total Discharged Alive	2	5	5	3	15
Total Discharged Alive (CPC-1 or CPC-2)	2	5	5	3	15
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0
Pulse at End of Transport (Pre-Hospital ROSC rate).	40.0%	57.1 %	60.0%	36.4%	51.1%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	100.0%	83.3%	62.5%	75.0%	75.0%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	100.0%	83.3%	62.5%	75.0%	75.0%

Cardiac Arrests Witnessed by Bystanders (CPR) KPI	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
Who Initiated CPR?													
Not Applicable	0	0	0	0	0	0	0	0	0	0	0	0	0
Lay Person	2	1	1	1	1	3	2	2	3	3	3	5	27
Lay Person Family Member	3	0	3	3	0	1	0	0	0	1	2	0	13
Lay Person Medical Provider	5	0	2	5	1	5	2	0	2	4	1	2	29
First Responder (non-transport provider)	0	2	0	1	6	4	2	6	4	6	2	1	34
Responding EMS Personnel	7	5	8	11	4	3	6	5	10	5	9	6	79
CPR Initiated by Bystanders	10	1	6	9	2	9	4	2	5	8	6	7	69
CPR Initiated by Bystanders, Limited to Arrest before Arrival of EMS Personnel.	58.8%	12.5%	42.9%	42.9%	16.7%	56.3%	33.3%	15.4%	26.3%	42.1%	35.3%	50.0%	37.9%

Cardiac Arrests Witnessed by Bystanders (AED Use) KPI	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
AED applied prior to EMS arrival	1	1	0	2	5	9	3	7	4	9	5	5	51
Who Applied AED?													0
Lay Person	0	0	0	0	0	0	0	0	0	0	0	1	1
Lay Person Family Member	0	0	0	0	0	0	0	0	0	0	0	0	0
Lay Person Medical Provider	0	0	0	1	1	2	1	0	0	2	1	1	9
First Responder (non-transport provider)	1	1	0	1	4	7	2	7	4	7	4	3	41
Police Applied AED	0	1	0	1	1	2	0	1	3	0	0	0	9
Unknown													0
AED Used by Bystanders	0	0	0	1	1	2	1	0	0	2	1	2	10
AED Used by Bystanders, Limited to Arrest before Arrival of EMS Personnel.	0.0%	0.0%	0.0%	4.8%	8.3%	12.5%	8.3%	0.0%	0.0%	10.5%	5.9%	14.3%	5.5%

Panel 1: All Cardiac Arrests (Outcome)	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Transported to ED	50	50	44	61	50	55	46	36	51	53	52	38	586
Pronounced Dead in ED	25	20	14	31	17	23	12	17	14	17	16	11	217
Ongoing Resuscitation in ED	25	30	30	30	33	32	34	19	37	36	36	27	369
Admitted to Hospital	10	11	8	12	16	13	17	7	16	13	21	8	152
Died in Hospital	6	4	5	7	5	8	6	4	5	5	15	4	74
Discharged alive	1	3	1	2	6	1	3	2	7	4	4	4	38
Discharged alive (CPC-1 or CPC-2)	1	3	1	2	5	1	3	1	7	4	3	4	35
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	1	0	0	1	0	0	1	0	3
Died in Hospital after DNR	3	4	2	3	5	4	8	1	4	4	2	0	40
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	3	1	2	6	1	3	2	7	4	4	4	38
Total Discharged Alive (CPC-1 or CPC-2)	1	3	1	2	5	1	3	1	7	4	3	4	35
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	1	0	0	1	0	0	1	0	3
Overall Survival Rate.	2.0%	6.0%	2.3%	3.3%	11.8%	1.8%	6.4%	4.4%	12.3%	6.8%	7.0%	8.5%	6.1%
Overall Survival Rate (CPC-1 or CPC-2).	2.0%	6.0%	2.3%	3.3%	9.8%	1.8%	6.4%	2.2%	12.3%	6.8%	5.3%	8.5%	5.6%

Panel 2: Cardiac Arrests Witnessed by Bystanders (Outcome) KPI	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
Transported to ED	17	8	14	21	12	16	12	13	19	19	17	13	181
Pronounced Dead in ED	6	1	5	10	3	2	0	2	4	8	3	4	48
Ongoing Resuscitation in ED	11	7	9	11	9	14	12	11	15	11	14	9	133
Admitted to Hospital	7	2	1	7	5	6	9	5	6	5	9	3	65
Died in Hospital	5	1	1	4	1	2	3	3	3	2	6	2	33
Discharged alive	1	1	0	2	2	1	1	1	3	1	3	1	17
Discharged alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	3	1	17
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Died in Hospital after DNR	1	0	0	1	2	3	5	1	0	2	0	0	15
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	1	0	2	2	1	1	1	3	1	3	1	17
Total Discharged Alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	3	1	17
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Overall Survival Rate.	5.9%	12.5%	0.0%	9.5%	16.7%	6.3%	8.3%	7.7%	15.8%	5.3%	17.6%	7.1%	9.3%
Overall Survival Rate (CPC-1 or CPC-2).	5.9%	12.5%	0.0%	9.5%	16.7%	6.3%	8.3%	7.7%	15.8%	5.3%	17.6%	7.1%	9.3%

Panel 3: Cardiac Arrests (of Cardiac Etiology) Witnessed by Bystanders (Outcome)	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
Presumed Cardiac Etiology	15	8	12	18	12	14	12	13	17	18	15	12	166
Transported to ED	15	8	12	18	12	14	12	13	17	18	15	11	165
Pronounced Dead in ED	5	1	5	8	3	2	0	2	4	8	3	4	45
Ongoing Resuscitation in ED	10	7	7	10	9	12	12	11	13	10	12	7	120
Admitted to Hospital	6	2	1	6	5	5	9	5	6	5	7	2	59
Died in Hospital	4	1	1	3	1	1	3	3	3	2	4	1	27
Discharged alive	1	1	0	2	2	1	1	1	3	1	3	1	17
Discharged alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	3	1	17
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Died in Hospital after DNR	1	0	0	1	2	3	5	1	0	2	0	0	15
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	1	0	2	2	1	1	1	3	1	3	1	17
Total Discharged Alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	3	1	17
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Overall Survival Rate.	6.7%	12.5%	0.0%	11.1%	16.7%	7.1%	8.3%	7.7%	17.6%	5.6%	20.0%	8.3%	10.2%
Overall Survival Rate (CPC-1 or CPC-2).	6.7%	12.5%	0.0%	11.1%	16.7%	7.1%	8.3%	7.7%	17.6%	5.6%	20.0%	8.3%	10.2%

Panel 4: Cardiac Arrests (Cardiac Etiology/"Shockable" Rhythm) Witnessed by Bystanders (Outcome) KPI	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
Presumed Cardiac Etiology	15	8	12	18	12	14	12	13	17	18	15	12	166
"Shockable" Rhythm (VFib/VTach/Unk)	3	2	0	4	4	6	4	5	6	4	4	3	45
Transported to ED	3	2	0	4	4	6	4	5	6	4	4	3	45
Pronounced Dead in ED	2	0	0	1	0	1	0	1	1	2	1	2	11
Ongoing Resuscitation in ED	1	2	0	3	4	5	4	4	5	2	3	1	34
Admitted to Hospital	1	1	0	3	3	1	3	2	4	2	2	1	23
Died in Hospital	0	0	0	1	1	0	1	1	1	1	0	0	6
Discharged alive	1	1	0	2	2	1	1	1	3	1	2	1	16
Discharged alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	1	16
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Died in Hospital after DNR	0	0	0	0	0	0	1	0	0	0	0	0	1
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	1	0	2	2	1	1	1	3	1	2	1	16
Total Discharged Alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	1	16
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Overall Survival Rate.	33.3%	50.0%	#DIV/0!	50.0%	50.0%	16.7%	25.0%	20.0%	50.0%	25.0%	50.0%	33.3%	35.6%
Overall Survival Rate (CPC-1 or CPC-2).	33.3%	50.0%	#DIV/0!	50.0%	50.0%	16.7%	25.0%	20.0%	50.0%	25.0%	50.0%	33.3%	35.6%

Panel 1-A: All Cardiac Arrests (ROSC)	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Pronounced Dead Before Transport	0	0	0	0	1	0	1	9	6	6	5	9	37
Transported to ED	50	50	44	61	50	55	46	36	51	53	52	38	586
Pulseless at End of Transport	39	42	33	47	33	41	32	27	33	42	38	32	439
Pulse at End of Transport	11	8	11	14	17	14	14	9	18	11	14	6	147
Pronounced Dead in ED	0	0	0	0	1	0	0	0	0	0	0	1	2
Ongoing Resuscitation in ED	11	8	11	14	16	14	14	9	18	11	14	5	145
Admitted to Hospital	9	7	7	8	12	10	11	6	13	9	11	3	106
Died in Hospital	5	2	4	4	4	6	4	3	4	3	7	1	47
Discharged alive	1	1	1	2	4	1	2	2	6	4	3	2	29
Discharged alive (CPC-1 or CPC-2)	1	1	1	2	4	1	2	1	6	4	2	2	27
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	1	0	0	1	0	2
Died in Hospital after DNR	3	4	2	2	4	3	5	1	3	2	1	0	30
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	1	1	2	4	1	2	2	6	4	3	2	29
Total Discharged Alive (CPC-1 or CPC-2)	1	1	1	2	4	1	2	1	6	4	2	2	27
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	1	0	0	1	0	2
Pulse at End of Transport (Pre-Hospital ROSC rate).	22.0%	16.0%	25.0%	23.0%	33.3%	25.5%	29.8%	20.0%	31.6%	18.6%	24.6%	12.8%	23.6%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	11.1%	14.3%	14.3%	25.0%	33.3%	10.0%	18.2%	33.3%	46.2%	44.4%	27.3%	66.7%	27.4%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	11.1%	14.3%	14.3%	25.0%	33.3%	10.0%	18.2%	16.7%	46.2%	44.4%	18.2%	66.7%	25.5%

Panel 2-A: Cardiac Arrests Witnessed by Bystanders (ROSC)	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
Pronounced Dead Before Transport	0	0	0	0	0	0	0	0	0	0	0	1	1
Transported to ED	17	8	14	21	12	16	12	13	19	19	17	13	181
Pulseless at End of Transport	11	6	11	17	7	10	6	5	12	16	12	12	125
Pulse at End of Transport	6	2	3	4	5	6	6	8	7	3	5	1	56
Pronounced Dead in ED	0	0	0	0	1	0	0	0	0	0	0	0	1
Ongoing Resuscitation in ED	6	2	3	4	4	6	6	8	7	3	5	1	55
Admitted to Hospital	6	2	1	4	4	4	6	5	5	3	5	1	46
Died in Hospital	4	1	1	2	1	1	3	3	2	1	3	1	23
Discharged alive	1	1	0	2	2	1	1	1	3	1	2	0	15
Discharged alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	0	15
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Died in Hospital after DNR	1	0	0	0	1	2	2	1	0	1	0	0	8
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	1	0	2	2	1	1	1	3	1	2	0	15
Total Discharged Alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	0	15
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Pulse at End of Transport (Pre-Hospital ROSC rate).	35.3%	25.0%	21.4%	19.0%	41.7%	37.5%	50.0%	61.5%	36.8%	15.8%	29.4%	7.1%	30.8%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	16.7%	50.0%	0.0%	50.0%	50.0%	25.0%	16.7%	20.0%	60.0%	33.3%	40.0%	0.0%	32.6%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	16.7%	50.0%	0.0%	50.0%	50.0%	25.0%	16.7%	20.0%	60.0%	33.3%	40.0%	0.0%	32.6%

Panel 3-A: Cardiac Arrests (of Cardiac Etiology) Witnessed by Bystanders (ROSC)	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
Presumed Cardiac Etiology	15	8	12	18	12	14	12	13	17	18	15	12	166
Pronounced Dead Before Transport	0	0	0	0	0	0	0	0	0	0	0	1	1
Transported to ED	15	8	12	18	12	14	12	13	17	18	15	11	165
Pulseless at End of Transport	10	6	9	15	7	8	6	5	11	15	10	11	113
Pulse at End of Transport	5	2	3	3	5	6	6	8	6	3	5	0	52
Pronounced Dead in ED	0	0	0	0	1	0	0	0	0	0	0	0	1
Ongoing Resuscitation in ED	5	2	3	3	4	6	6	8	6	3	5	0	51
Admitted to Hospital	5	2	1	3	4	4	6	5	5	3	5	0	43
Died in Hospital	3	1	1	1	1	1	3	3	2	1	3	0	20
Discharged alive	1	1	0	2	2	1	1	1	3	1	2	0	15
Discharged alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	0	15
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Died in Hospital after DNR	1	0	0	0	1	2	2	1	0	1	0	0	8
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	1	0	2	2	1	1	1	3	1	2	0	15
Total Discharged Alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	0	15
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Pulse at End of Transport (Pre-Hospital ROSC rate).	33.3%	25.0%	25.0%	16.7%	41.7%	42.9%	50.0%	61.5%	35.3%	16.7 %	33.3%	0.0%	31.3%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	20.0%	50.0%	0.0%	66.7%	50.0%	25.0%	16.7%	20.0%	60.0%	33.3%	40.0%	N/A	34.9%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	20.0%	50.0%	0.0%	66.7%	50.0%	25.0%	16.7%	20.0%	60.0%	33.3%	40.0%	N/A	34.9%

Panel 4-A: Cardiac Arrests (Cardiac Etiology/"Shockable" Rhythm) Witnessed by Bystanders (ROSC)	OCT-14	NOV-14	DEC-14	JAN-15	FEB-15	MAR-15	APR-15	MAY-15	JUN-15	JUL-15	AUG-15	SEP-15	FY-15 (FINAL)
Total Cardiac Arrests	50	50	44	61	51	55	47	45	57	59	57	47	623
Witnessed Cardiac Arrests	21	18	23	36	24	28	19	21	35	32	24	18	299
NOT Witnessed by EMS	17	8	14	21	12	16	12	13	19	19	17	14	182
Presumed Cardiac Etiology	15	8	12	18	12	14	12	13	17	18	15	12	166
"Shockable" Rhythm (VFib/VTach/Unk)	3	2	0	4	4	6	4	5	6	4	4	3	45
Pronounced Dead Before Transport	0	0	0	0	0	0	0	0	0	0	0	0	0
Transported to ED	3	2	0	4	4	6	4	5	6	4	4	3	45
Pulseless at End of Transport	2	1	0	2	1	3	1	2	3	2	2	3	22
Pulse at End of Transport	1	1	0	2	3	3	3	3	3	2	2	0	23
Pronounced Dead in ED	0	0	0	0	0	0	0	0	0	0	0	0	0
Ongoing Resuscitation in ED	1	1	0	2	3	3	3	3	3	2	2	0	23
Admitted to Hospital	1	1	0	2	3	1	3	2	3	2	2	0	20
Died in Hospital	0	0	0	0	1	0	1	1	0	1	0	0	4
Discharged alive	1	1	0	2	2	1	1	1	3	1	2	0	15
Discharged alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	0	15
Discharged alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Died in Hospital after DNR	0	0	0	0	0	0	1	0	0	0	0	0	1
Discharged alive after DNR	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-1 or CPC-2)	0	0	0	0	0	0	0	0	0	0	0	0	0
Discharged alive after DNR (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Discharged Alive	1	1	0	2	2	1	1	1	3	1	2	0	15
Total Discharged Alive (CPC-1 or CPC-2)	1	1	0	2	2	1	1	1	3	1	2	0	15
Total Discharged Alive (CPC-3, CPC-4 or Unk)	0	0	0	0	0	0	0	0	0	0	0	0	0
Pulse at End of Transport (Pre-Hospital ROSC rate).	33.3%	50.0%	N/A	50.0%	75.0%	50.0%	75.0 %	60.0%	50.0%	50.0%	50.0%	0.0%	51.1%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital.	100.0%	100.0%	N/A	100.0%	66.7%	100.0%	33.3%	50.0%	100.0%	50.0%	100.0%	N/A	75.0%
Survival Rate of EMS Patients with Pulse at End of Transport Admitted to Hospital (CPC-1 or CPC-2).	100.0%	100.0%	N/A	100.0%	66.7%	100.0%	33.3%	50.0%	100.0%	50.0%	100.0%	N/A	75.0%